

BVLGARI

WINDOW DRESSING “SNAKE”

SET UP INSTRUCTIONS

1

GIANT SNAKE SET UP









2

STANDARD WINDOWS AND COUNTERS


BVLGARI

GIANT SNAKE SET UP

Sizes chart


	A	B	C
Snake size XS			
Snake size S			
Snake size M			

Metallic structure



Assembly procedure




1 - Before to access to the window you have to install the “Snake modules” on the perforated Main panel (except some case that will be reported) following the correct order (from number 1 to.. See maps of Snake modules below). Insert threaded bars in the dowels of the Snake Modules.



Before to access to the window where the structure expected the lateral flanks it's appropriate fix the 2 brackets with dowels corresponding to the holes of the base.




Maps of Snakes Modules with number corresponding to the number of the box label.

XS	S	M
		

!! The smaller dowel (see red arrow) of the Snake size M is not in the module but on the box with screws.

!! How to pull out the modules of the boxes. See sequence below.



2 - Position the flanks (where expected) and the base with the dowels turned to the back of the window.




3 - Insert (where expected) the first lateral flank and fix it to the brackets (previously assembled to the base).

4 - Fix the steel panel with the snake-structure (previously assembled) to the base and to the lateral flank using the appropriate dowels.



5 - Insert N.2 brackets on the base and fix it to the steel panel.




6 - Where expected position the "upper panel" over the "main panel" of the metallic structure and fix them together using the supplied brackets. Where the structure expected the lateral flanks also, you have to fix the "upper panel" to the lateral flanks also.



Lateral Flank

For the **M** size structure, without lateral flanks, (see size chart Snake M-column) the “Upper Panel” will be fixed using the supplied brackets (see red arrow)





7 - Insert the lateral flank (where expected) in the appropriate dowels and fix it to the central steel panel.




8 - To assemble the opening door fix the 2 hinges using 4 screws for each one, insert then the knob for the opening.



9 - Insert the 5 props for the Snake in the correct position. See picture below.



Insert the prop for bag (if expected)on the appropriate position of Snake M.



For Snake S and XS there is the opportunity to place the bag prop in one of the positions of jewelry props.

The second prop for bag is a floor prop. Freely position it close to the Snake.



BVLGARI

STANDARD WINDOWS AND COUNTERS

1 - This is the correct position of the 3 standard window displays when there are all the 3 subjects. If you have only subject 1 and 2, place the #1 to the left and #2 to the right.



Subject 1


Subject 3

Subject 2


2 - The positioning of the 4 different pieces of “Counter Display” and props is curated by store staff.



The 4 pieces of Counter display kit.



4 Props (1 jewel's holder)



2 Props (2 jewel's holder)